

# COMP219: Artificial Intelligence

## Lecture 4: Intelligent Agents


# Overview

- Last time
  - An introduction to Prolog
- Today:
  - A brief history of AI
  - Introduce 'agents'
  - Consider agent task environments
  - Consider agent program designs
- Learning outcome covered today:  
Identify or describe the characteristics of **intelligent agents** and the **environments** that they can inhabit.

1

## Brief History of AI 1943-56

- McCulloch & Pitts (1943)
  - artificial neural net - proved equivalent to Turing machine
- Shannon, Turing (1950)
  - Information theory
  - Turing Test
  - chess playing programs
- Marvin Minsky (1951)
  - first neural net computer - SNARC
- Dartmouth College (1956)
  - term "AI" coined by John McCarthy
  - Newell & Simon presented LOGIC THEORIST program




"Every aspect of learning or any other feature of intelligence can in principle be so precisely described that a machine can be made to simulate it"

*Dartmouth manifesto*

3

## 1956-70

- Programs written that could
  - plan, learn, play games, prove theorems, solve problems
- Major centres established
  - Minsky - MIT
  - McCarthy - Stanford
  - Newell & Simon - CMU
- Major feature of the period was *microworlds* - toy problem domains
  - Example: blocks world
  - "It'll scale, honest. . ."



1969: First International Joint Conference on Artificial Intelligence held  
1970: First Issue of Artificial Intelligence journal

4

## 1970s

- 1970s period of recession for AI (especially in UK)
  - (Lighthill report in UK) “formed the basis for the decision by the British government to end support for AI research in all but two universities [from AIAMA]”
- Techniques developed on microworlds would not scale
- Implications of complexity theory developed in late 1960s, early 1970s began to be appreciated
- Brute force techniques will not work
- Works in principle does not mean works in practice
- In US – foundational work on expert and knowledge based systems

5

## 1980s

- General purpose, brute force techniques don't work, so use *knowledge rich* solutions
- Early 1980s saw emergence of expert systems as systems capable of exploiting knowledge about tightly focused domains to solve problems normally considered the domain of experts
- Ed Feigenbaum's **knowledge principle**
- In UK Alvey programme (1984-89) revived funding and interest



6

## 1990s

- Many companies set up to commercialise expert systems technology went bust (US AI winter)
- 1990s: emphasis on understanding the interaction between *agents and environments*
- AI as *component*, rather than as end in itself



www.cis.upenn.edu



www.nasa.gov

7

## 2000s onwards


- Agents developed as a key technology for symbolic AI
  - www as a delivery mechanism
- Revival of sub symbolic AI and probability networks
- Advances in robotics, vision, etc.
- Fielded applications emerging...



8


# Intelligent Agents

- The intelligent entities that we engineer in AI are known as **agents**.
- A popular characterisation by Wooldridge and Jennings (1995) is:  
 “An **agent** is a computer system that is **situated** in some **environment**, and that is capable of **autonomous action** in this environment in order to meet its design objectives.”
- A collection of such agents situated together in an environment and capable of interacting in with one another is known as a ‘**multi-agent system**’.
- **Autonomy** is central to the notion of agency.



9

# Intelligent Agents



11

# Intelligent Agents

- Capabilities that we would expect such intelligent agents to possess (again from Wooldridge and Jennings (1995)):
- **Reactivity**: Intelligent agents are able to perceive their environment, and respond in a timely fashion to changes that occur in it in order to satisfy their design objectives.
- **Proactiveness**: Intelligent agents are able to exhibit goal-directed behaviour by taking the initiative in order to satisfy their design objectives.
- **Social ability**: Intelligent agents are capable of interacting with other agents (and possibly humans) in order to satisfy their design objectives.



10

# Task Environments



- Agents are situated within **task environments**, which differ in accordance with the particular problem area that the agent is designed to address.
- When we design agents to solve particular problems, we must specify the task environment as fully as possible. Four elements to take into account:
- **PEAS** (from AIAMA):
  - **Performance measure**: the criteria by which we can measure the success of an agent's behaviour.
  - **Environment**: the external environment that the agent inhabits.
  - **Actuators**: the means by which the agent acts within its environment.
  - **Sensors**: the means by which the agent senses its environment.

12

# Example



- Consider an agent used for medical diagnosis; Its PEAS description might be as follows:
- **Performance measure:** health of patient, costs of treatment.
- **Environment:** patient, hospital, staff.
- **Actuators:** display questions, tests, diagnoses and treatments.
- **Sensors:** keyboard entry of patient's symptoms, responses to questions and findings.

# Exercise

13

14

## Task Environments



## Fully Observable vs Partially Observable

- The properties of the task environment that the agent inhabits may differ greatly, depending upon the particular application area.
- Russell and Norvig have given a classification of the different types of **properties** of agent environments:
- Fully observable vs partially observable
- Deterministic vs stochastic
- Episodic vs sequential
- Static vs dynamic
- Discrete vs continuous

- **Fully observable** environment: one in which the agent can fully obtain complete, up-to-date info about the environment's state.
- Most moderately complex environments are **partially observable**.
- Fully observable environments are more convenient
  - agent does not need to maintain any internal state to keep track of the environment.
  - simpler to build agents for such environments.
- Fully observable env. examples: a crossword puzzle, the game of backgammon.
- Partially observable env. examples: the everyday physical world, the Internet, the card game poker.

15

16

# Deterministic vs Stochastic




# Episodic vs Sequential

- **Deterministic** environment: one in which any action has a single guaranteed effect - there is no uncertainty about the state that will result from performing an action.
- This definition applies *from the point of view of the agent*.
- If the environment is deterministic except for the actions of other agents, the environment is said to be **strategic**.
- **Stochastic** environments present greater problems for the agent designer.
- Deterministic env. examples: a crossword puzzle, image analysis.
- Stochastic env. examples: medical diagnosis, the card game poker, the physical world.

- **Episodic** environment: one where the performance of an agent is dependent on a number of discrete episodes, with no link between its performance in different scenarios.
- Episodic environments are simpler for agent developers
  - the agent can decide what action to perform based only on the current episode without having to reason about the interactions between this and future episodes.
- In **sequential** environments the current decision could affect all future decisions.
- Episodic env. examples: a mail sorting system, defect detection on an assembly line.
- Sequential env. examples: a crossword puzzle, the card game poker.

17

# Static vs Dynamic




- **Static** environment: one that can be assumed to remain unchanged whilst the agent is deliberating.
- **Dynamic** environment: one that has other processes operating on it, and hence changes whilst the agent is deliberating.
- Static environments are easier to deal with
  - the agent does not need to keep observing the environment whilst deciding how act, nor need it worry about time elapsing.
- Static env. examples: a crossword puzzle, the card game poker, the game of backgammon.
- Dynamic env. examples: medical diagnosis, the physical world.

19

18

# Discrete vs Continuous



- **Discrete** environment: one that contains a fixed, finite number of distinct states.
- The distinction applies to the state of the environment, the way in which time is handled, the percepts and actions of the agent.
- **Continuous** environments provide greater challenges for agent designers.
- Discrete env. examples: a crossword puzzle, the game of chess.
- Continuous env. exmples: image analysis, medical diagnosis.

20

## Exercise

# Environments and Design

- The type of task environment that an agent inhabits affects its design and behaviour.
- Additionally, different tasks require different architectures.
- Architecture: some computing device equipped with sensors and actuators
  - e.g., a mobile robot with sensors, a PC, etc.
- The task of the agent program designer is to specify how the agents' percepts map to its actions.
- Agent = architecture + program



21


## Agent Program Designs

- Four basic kinds of agent program are identified that embody the notions that underpin most intelligent systems (AIAMA):
  - 1) Simple reflex agents
  - 2) Model-based reflex agents
  - 3) Goal-based agents
  - 4) Utility-based agents
- The ability to learn improves the performance of all these agents.
  - Enables agents to operate in environments of ignorance.
  - Increases performance beyond the limitations of agents' current knowledge.

23

## Simple Reflex Agents

- Simple reflex agents: select actions to execute based upon the current percept.
  - Do not take the percept history into account.
  - Implemented using condition-action rules.
  - Such agents are simple to implement, but of very limited intelligence.
  - Success of decision making seriously deteriorates with unobservability.




22

24

## Model-Based Reflex Agents

- Model-based reflex agents: maintain an internal state that depends upon the percept history.
  - Current percept combined with previous internal state to update description of current state.
  - Helps to deal with partial observability.
  - Requires two forms of knowledge to be encoded in the agent program in order to create a 'model' of the world.
    - How the world changes independent of the agent's actions.
    - How the world changes due to the agent's actions.



25

## Utility-Based Agents



- Utility-based agents: make use of a **utility function** to compare the 'desirability' of different states that result from actions.
  - Many actions may satisfy a goal, but which is the most desirable?
  - Utility function maps a state, or sequence of states, onto a real number to give the degree of 'usefulness' of the state to the agent.
    - Agent tries to maximise the value of its utility function.
  - Tradeoffs may need to be made between conflicting goals.
  - Where outcome of goals is uncertain, utility enables agent to evaluate goal importance against likelihood of success.
  - Utility-based agents are generally capable of higher quality behaviour than goal-based agents.

27



## Goal-Based Agents

- Goal-based agents: select appropriate actions to achieve particular desirable states of the environment: 'goals'.
  - Knowledge of the current state does not automatically mean that the agent knows what to do.
  - Decision making may become complicated when dealing with long sequences of actions to achieve a goal.
    - Search and planning may be required.
  - Goal-based agents more flexible to modification than reflex-based agents.

26

## Summary

- **Today**
  - Intelligent agents
  - Task environments
    - PEAS description
    - Properties of environments
  - Agent program designs
- **Next time**
  - Search in AI